



Conservation and Water Stewardship

Climate Change and Environmental Protection Division
Environmental Approvals Branch
123 Main Street, Suite 160, Winnipeg, Manitoba R3C 1A5
T 204 945-8321 F 204 945-5229
www.gov.mb.ca/conservation/eal

CLIENT FILE NO.: 5658.00

November 4, 2013

Jamie Dufresne
6409840 Manitoba Ltd. (Tritec Concrete)
Box 58
Elie MB R0H 0H0

Dear Mr. Dufresne:

Enclosed is **Environment Act Licence No. 3078** dated November 4, 2013 issued to **6409840 Manitoba Ltd. (Tritec Concrete)** for the continued operation of the Development being a concrete batch plant located at 18 Main Street in St. Eustache in the Rural Municipality of Cartier, Manitoba, in accordance with the Proposal dated June 24, 2013, additional information provided on September 18, 2013 and September 26, 2013.

In addition to the enclosed Licence requirements, please be informed that all other applicable federal, provincial and municipal regulations and by-laws must be complied with. A Notice of Alteration must be filed with the Director for approval prior to any alteration to the Development as licensed.

For further information on the administration and application of the licence please contact Donna Smiley, Environment Officer at 204-945-7072.

Pursuant to Section 27 of *The Environment Act*, this licensing decision may be appealed by any person who is affected by the issuance of this Licence to the Minister of Conservation and Water Stewardship within 30 days of the date of the Licence.

Yours truly,

“original signed by”

Tracey Braun, M.Sc.
Director
Environment Act

Enc.

c: Don Labossiere, Director, Environmental Compliance and Enforcement
Public Registries

NOTE: Confirmation of Receipt of this Licence No. 3078 (*by the Licensee only*) is required by the Director of Environmental Approvals Branch. Please acknowledge receipt by signing in the space provided below and faxing a copy (letter only) to the Department by November 18, 2013.

On behalf of 6409840 Manitoba Ltd. (Tritec Concrete)

Date

****A COPY OF THE LICENCE MUST BE KEPT ON SITE AT THE DEVELOPMENT AT ALL TIMES****

LICENCE

Licence No. / Licence n° 3078

Issue Date / Date de délivrance November 4, 2013

In accordance with *The Environment Act* (C.C.S.M. c. E125) /
Conformément à la *Loi sur l'environnement* (C.P.L.M. c. E125)

Pursuant to Section 10(1) / Conformément au Paragraphe 10(1)

THIS LICENCE IS ISSUED TO : / CETTE LICENCE EST DONNÉE À :

6409840 MANITOBA LTD (TRITEC CONCRETE).;
"the Licencee"

for the continued operation of the Development being a concrete batch plant located at 18 Main Street in St. Eustache in the Rural Municipality of Cartier, Manitoba, in accordance with the Proposal dated June 24, 2013, additional information provided on September 18, 2013 and September 26, 2013 and subject to the following specifications, limits, terms and conditions:

DEFINITIONS

In this Licence,

"**accredited laboratory**" means an analytical facility accredited by the Standard Council of Canada (SCC), or accredited by another accrediting agency recognized by Manitoba Conservation to be equivalent to the SCC, or be able to demonstrate, upon request, that it has the quality assurance/quality control (QA/QC) procedures in place equivalent to accreditation based on the international standard ISO/IEC 17025, or otherwise approved by the Director;

"**affected area**" means a geographical area, excluding the property of the Development;

"**aggregate**" means any crushed stone or slag, crushed or uncrushed gravel, sand or mineral filler;

"**approved**" means approved by the Director or assigned Environment Officer in writing;

"**Director**" means an employee so designated pursuant to *The Environment Act*;

"**Environment Officer**" means an employee so designated pursuant to *The Environment Act*;

****A COPY OF THE LICENCE MUST BE KEPT ON SITE AT THE DEVELOPMENT AT ALL TIMES****

"noise nuisance" means an unwanted sound, in an affected area, which is annoying, troublesome, or disagreeable to a person:

- a) residing in an affected area;
- b) working in an affected area; or
- c) present at a location in an affected area which is normally open to members of the public;

if the unwanted sound

- d) is the subject of at least 5 written complaints, received by the Director in a form satisfactory to the Director and within a 90-day period, from 5 different persons falling within clauses a), b), or c), who do not live in the same household; or
- e) is the subject of at least one written complaint, received by the Director in a form satisfactory to the Director, from a person falling within clauses a), b) or c) and the Director is of the opinion that if the unwanted sound had occurred in a more densely populated area there would have been at least 5 written complaints received within a 90-day period, from 5 different persons who do not live in the same household;

"odour nuisance" means a continuous or repeated odour, smell or aroma, in an affected area, which is offensive, obnoxious, troublesome, annoying, unpleasant or disagreeable to a person:

- a) residing in an affected area;
- b) working in an affected area; or
- c) present at a location in an affected area which is normally open to members of the public;

if the odour, smell or aroma

- d) is the subject of at least 5 written complaints, received by the Director in a form satisfactory to the Director and within a 90-day period, from 5 different persons falling within clauses a), b) or c), who do not live in the same household; or
- e) is the subject of at least one written complaint, received by the Director in a form satisfactory to the Director, from a person falling within clauses a), b), or c) and the Director is of the opinion that if the odour, smell or aroma had occurred in a more densely populated area there would have been at least 5 written complaints received within a 90-day period, from 5 different persons who do not live in the same household;

"opacity" means the degree to which emissions reduce the transmission of light and obscure the view of an object in the background;

"particulate matter" means any finely divided liquid or solid matter other than water droplets;

"particulate residue" means that part or portion of an atmospheric emission which is deposited onto a surface;

"**point source**" means any point of emission from a Development where pollutants are emitted to the atmosphere by means of a stack;

"**QA/QC**" means quality assurance/quality control;

"**stack**" means a duct, pipe, chimney, vent, opening or other structure through which pollutants are emitted to the atmosphere;

"**Standard Methods for the Examination of Water and Wastewater**" means the most recent edition of Standard Methods for the Examination of Water and Wastewater published jointly by the American Public Health Association, the American Waterworks Association and the Water Environment Federation;

"**washout water containment cells**" means the containment area at the Development where all washout water generated at the Development is contained;

"**washout water**" means water generated from cleaning residual and/or excess concrete out of the mixing drums of concrete trucks; and

"**wastewater**" means any liquid containing a pollutant as defined in *The Environment Act*, associated with or resulting from the Development which is discharged into the environment.

GENERAL TERMS AND CONDITIONS

This Section of the Licence contains requirements intended to provide guidance to the Licencee in implementing practices to ensure that the environment is maintained in such a manner as to sustain a high quality of life, including social and economic development, recreation and leisure for present and future Manitobans.

1. The Licencee shall implement a high standard of equipment maintenance and good housekeeping and operational practices with respect to the Development, at all times.
2. The Licencee shall reduce the production and dissemination of wastes by initiating and maintaining waste reduction and waste recycling programs.
3. In addition to any of the limits, terms and conditions specified in this Licence, the Licencee shall, upon the request of the Director:
 - a) sample, monitor, analyze and/or investigate specific areas of concern regarding any segment, component or aspect of pollutant storage, containment, treatment, handling, disposal or emission systems, for such pollutants or ambient quality, aquatic toxicity, leachate characteristics and discharge or emission rates, for such duration and at such frequencies as may be specified;
 - b) determine the environmental impact associated with the release of any pollutant(s) from the Development; or

- c) provide the Director, within such time as may be specified, with such reports, drawings, specifications, analytical data, descriptions of sampling and analytical procedures being used, bioassay data, flow rate measurements and such other information as may from time to time be requested.
4. The Licencee shall, unless otherwise specified in this Licence:
 - a) carry out all preservations and analyses on liquid samples in accordance with the methods prescribed in the most current edition of Standard Methods for the Examination of Water and Wastewater or in accordance with equivalent preservation and analytical methodologies approved by the Director;
 - b) carry out all sampling of, and preservation and analyses on, soil and air samples in accordance with methodologies approved by the Director;
 - c) have all analytical determinations undertaken by an accredited laboratory; and
 - d) report the results to the Director, in writing and in an electronic form acceptable to the Director, within 60 days of the samples being taken.
5. The Licencee shall comply with the “Manitoba Heavy Construction Association Best Environmental and Safety Management Practice Redi-Mix Concrete Facilities” manual, © 2000, or any future version thereof.
6. The Licencee shall carry out any remedial measures, modifications, or alterations, as deemed necessary by the Director, in respect to matters authorized under this Licence.
7. The Licencee shall submit all information required to be provided to the Director under this Licence, in writing, in such form (including number of copies), and of such content as may be specified by the Director or Environment Officer, and each submission shall be clearly labelled with the Licence Number and Client File Number associated with this Licence.
8. The Licencee shall designate an employee, within 60 days of the date of issuance of this Licence, as the Licencee’s Environmental Coordinator, whose job description will include assisting the Licencee in complying with the limits, terms and conditions in this Licence and assisting Senior Management of the Licencee to manage environmental issues at the Development. The name of the Environmental Coordinator shall be submitted in writing to the Director within 14 days of appointment.

SPECIFICATIONS, LIMITS, TERMS AND CONDITIONS

Respecting Air Emissions – Limits

9. The Licencee shall not emit particulate matter from the Development such that:
 - a) particulate matter:

- i) exceeds 0.23 grams per dry standard cubic metre calculated at 25 degrees Celsius and 760 millimetres of mercury, corrected to 12 percent carbon dioxide for processes involving combustion, from any point source of the Development;
 - ii) exhibits a visible plume with an opacity of greater than 5 percent at any point beyond the property line of the Development; or
 - iii) results in the deposition of visible particulate residue at any time beyond the property line of the Development; or
 - b) opacity from any point source of the Development equals or exceeds:
 - i) 20 percent as the average of any 24 consecutive opacity observations taken at 15 second intervals;
 - ii) 20 percent for more than 16 individual opacity observations within any 1 hour period; or
 - iii) 40 percent for any individual opacity observation.
10. The Licencee shall not cause or permit a noise nuisance to be created as a result of the construction, operation or alteration of the Development, and shall take such steps as the Director may require to eliminate or mitigate a noise nuisance.
11. The Licencee shall not cause or permit an odour nuisance to be created as a result of the construction, operation or alteration of the Development, and shall take such steps as the Director may require to eliminate or mitigate an odour nuisance.

Respecting Air Pollution Control

12. The Licencee shall prevent the entrainment of particulate matter into the air at the Development resulting from the operation of vehicles or the transportation, storage or handling of aggregate or other material.

Respecting Air Pollution Control Equipment

13. The Licencee shall direct all air streams, which contain a pollutant(s) of concern to the Director, to a pollution control device which has been designed for and demonstrated to be capable of reducing, altering, eliminating or otherwise treating the pollutant(s).
14. The Licencee shall prepare and maintain, within 60 days of the issuance of this Licence, a standard operating procedural manual and a maintenance schedule for each air emission pollution control device based on the manufacturer's specifications and recommendations and make it available for review by an Environment Officer upon request.
15. The Licencee shall not operate any process directing an emission to an air pollution control device at the Development unless
 - a) the operating and maintenance measures and status of the device are in full compliance with the procedures and timetables prepared in accordance with Clause 14 of this Licence;

- b) all emissions from the process are directed to the fully operational air pollution control device;
 - c) all discharges of treated emissions from the air pollution control devices are immediately directed to a stack; and
 - d) the emissions do not contain concentrations of pollutants which:
 - i) are in violation of any other applicable legal instrument including an Act, Regulation or by-law; or
 - ii) otherwise create a significant negative environmental or health impact in the affected area.
16. The Licencee shall maintain a log book of the most recent 24 month period to record any downtime of an air pollution control device due to either the breakdown or maintenance of that air pollution control device. The log book shall be kept at the Development and shall be available upon request for inspection by an Environment Officer. The log book shall record, at minimum, the following information:
- a) identification of the air pollution control device and the process(es) it serves;
 - b) time/date of log entry;
 - c) nature of event;
 - d) duration of event;
 - e) the accumulated downtime of this air pollution control device for the events for each calendar year; and
 - f) signature of the Environmental Coordinator.
17. The Licencee shall handle, store and dispose of all pollutants collected by the air pollution control equipment in a manner suitable to their characterization as type of waste or dangerous good.

Respecting Monitoring

18. The Licencee, upon written request from the Director, shall provide a stack or stacks including all necessary sampling facilities for the sampling of air emissions at the Development. The stack or stacks shall be provided:
- a) at a location(s) and within a time frame satisfactory to the Director; and
 - b) to the specifications and in accordance with the most recent version of Manitoba Conservation Guideline, *Guideline for Stack Sampling Facilities*, unless otherwise approved by the Director.
19. The Licencee, upon a written request from the Director, shall submit a detailed plan which is acceptable to and approved by the Director, for the sampling and analysis of potential air pollutants, released as stationary point and fugitive emissions, including any compounds determined by the Director. The plan shall identify the rationale for the sampling, the ways and means by which the sampling program will be implemented including any special measures or methods which would be necessitated by influencing factors such as unfavourable weather conditions, the need for large or additional sample volumes, the need for multiple sampling runs, the methods used for the sampling and the analysis for each compound, the detection level to be attained, a

comprehensive QA/QC program, and other items as may be identified by the Director.

20. The Licencee shall perform all stack sampling in accordance with the most recent version of Manitoba Conservation Report No. 96-07, *Interim Stack Sampling Performance Protocol*, unless otherwise approved by the Director.
21. The Licencee shall arrange the scheduling of the sampling program submitted pursuant to Clause 19 of this Licence such that a representative of Manitoba Conservation and Water Stewardship is available to monitor and audit the implementation of the sampling program.
22. The Licencee shall complete the sampling of emissions according to the approved plan submitted pursuant to Clause 19 of this Licence, within a timeframe to be determined by the Director.
23. The Licencee shall submit a report, for the approval of the Director, of the completed sampling and analysis plan approved pursuant to Clause 19 of this Licence, within 60 days of the receipt of the analytical results of that sampling plan. The report shall contain at minimum:
 - a) the raw data collected;
 - b) a discussion of the sampling and analytical portions of the program including any anomalies of sampling and analysis; and
 - c) a discussion of the significance of the data gathered with specific attention to:
 - i) the significance for potential acute and chronic impacts to health or environment from exposure to concentrations of the compounds detected;
 - ii) the need for risk assessment of the impact of emissions;
 - iii) the need for the establishment of ambient air monitoring stations;
 - iv) the need for dispersion modeling of emissions;
 - v) results and conclusions of the QA/QC program; and
 - vi) other issues as may be determined by the Director.
24. The Licencee, upon the written request of and in a timeframe stipulated by the Director, shall comply with any air emission or ambient air quality criteria specified by the Director for any pollutant of concern to the Director which has been identified pursuant to Clause 3, 9, 12, 13 or 23 of this Licence.

Respecting Chemical Storage and Spill Containment

25. The Licencee shall provide containment for all vessels containing chemicals and in each area of the development where the chemicals are stored, loaded, transferred, used or otherwise handled, in compliance with the National Fire Code of Canada (2010), or any future amendment thereof, such that any product leakage or spillage and any contaminated liquid generated is contained within the Development and contamination of groundwater and surface water is prevented.

26. The Licencee shall, in a manner approved by the Director, remove and dispose of all spilled dangerous goods.

Respecting Wastewater

27. The Licencee shall direct all concrete washout water and any wash water that has come into contact with concrete to the washout water containment area located at the Development and shall contain all concrete washout water within the containment area until such time that the washout water can be recycled, reused, or disposed of in a manner acceptable to the Director.

28. The Licencee shall prevent solids and/or liquids from overflowing from the washout water containment ponds.

29. The Licencee shall direct all uncontaminated storm water towards a drainage ditch.

30. The Licencee shall not discharge any wastewater beyond the boundaries of the Development and shall prevent the seepage of wastewater such that the groundwater beneath the Development does not become contaminated.

31. The Licencee shall not wash concrete trucks at the Development with soaps and/or detergents unless, or until such time that, a wastewater management system appropriate for wastewater from washing trucks in this manner is in place and has been approved by the Director and is in compliance with the requirements of *The Environment Act* and all of the regulations thereunder.

Respecting Solid Waste

32. The Licencee shall dispose of all solid waste generated from any activity at the Development, which is not recycled, only at a waste disposal ground operating under the authority of a permit issued pursuant to *Manitoba Regulation 150/91* or any future amendment thereof, or a Licence issued pursuant to *The Environment Act*.

Respecting Emergencies

33. The Licencee shall, in the case of physical or mechanical equipment breakdown or process upset where such breakdown or process upset results or may result in the release of a pollutant in an amount or concentration, or at a level or rate of release, that causes or may cause a significant adverse effect, immediately report the event by calling 204-944-4888 (toll-free 1-855-944-4888). The report shall indicate the nature of the event, the time and estimated duration of the event and the reason for the event.

34. The Licencee shall, following the reporting of an event pursuant to Clause 33,

- a) identify the repairs required to the mechanical equipment;
- b) undertake all repairs to minimize unauthorized discharges of a pollutant;

- c) complete the repairs in accordance with any written instructions of the Director;
and
- d) submit a report to the Director about the causes of breakdown and measures taken,
within one week of the repairs being done.

35. The Licencee shall, within 60 days of the issue date of this licence, prepare and maintain an emergency response contingency plan in accordance with the Canadian Centre for Occupational Health and Safety emergency planning guidelines.

Respecting Site Decommissioning

36. The Licencee shall submit, within one (1) year prior to closure of the facility, for the approval of the Director, a formal detailed Decommissioning Plan for the facility.

37. The Licencee shall implement, on closure of the facility, the approved Decommissioning Plan.

REVIEW AND REVOCATION

- A. If in the opinion of the Director, the Licencee has exceeded or is exceeding or has or is failing to meet the specifications, limits, terms or conditions set out in this Licence, the Director may, temporarily or permanently, revoke this Licence.
- B. If, in the opinion of the Director, new evidence warrants a change in the specifications, limits, terms or conditions set out in this Licence, the Director may require the filing of a new proposal pursuant to *The Environment Act*.

“original signed by”

Tracey Braun, M.Sc.
Director
Environment Act

Client File No.: 5658.00